Author Index to Volume 55 (1993)

Aldrighetti, L., see De Conno, F. (55) 383
Aldskogius, H., see Wiesenfeld-Hallin, Z. (55) 235
Aloisi, A.M., Porro, C.A., Cavazzuti, M., Baraldi, P. and Carli, G.
'Mirror pain' in the formalin test: behavioral and 2-deoxyglucose studies (55) 267
Amakawa, K., see Nagaro, T. (55) 275
Anton, F., see Thomas, D.A. (55) 63
Arai, T., see Nagaro, T. (55) 125
Arai, T., see Nagaro, T. (55) 125
Arai, T., see Nagaro, T. (55) 275
Arntz, I.E., see Oyen, W.J.G. (55) 151
Atkinson, J.H., see Klapow, J.C. (55) 107

Baraldi, P., see Aloisi, A.M. (55) 267
Barnsley, L., Lord, S. and Bogduk, N.
Comparative local anaesthetic blocks in the diagnosis of cervical zygapophysial joint pain (55) 99
Baumstark, K.E., Buckelew, S.P., Sher, K.J., Beck, N., Buescher, K.L., Hewett, J. and Crews, T.M.
Pain behavior predictors among fibromyalgia patients (55) 339
Beck, N., see Baumstark, K.E. (55) 339
Behbehani, M.M., see Murphy, A.Z. (55) 183
Bodnar, R.J., see Robertson, J.A. (55) 71
Bogduk, N., see Barnsley, L. (55) 99
Buckelew, S.P., see Baumstark, K.E. (55) 339
Buescher, K.L., see Baumstark, K.E. (55) 339
Byers, M.R., see Hong, D. (55) 171

Caraceni, A., see De Conno, F. (55) 383
Carli, G., see Aloisi, A.M. (55) 267
Carlisi, V.J., see Craft, R.M. (55) 205
Carlson, C.R., Okeson, J.P., Falace, D.A., Nitz, A.J. and Lindroth, J.E.
Reduction of pain and EMG activity in the masseter region by trapezius trigger point injection (55) 397
Castellote, J.M., see Kingery, W.S. (55) 297
Caudle, R.M. and Williams, G.M.
The misuse of analysis of variance to detect synergy in combination drug studies (55) 313
Cavazzuti, M., see Aloisi, A.M. (55) 267
Charles, N., see García-Larrea, L. (55) 139
Chiang, C.Y., see Kawakita, K. (55) 327
Chung, J.M., see Kim, S.H. (55) 85
Claessens, R.A.M.J., see Oyen, W.J.G. (55) 151
Coderre, T.J.
Non-competitive NMDA receptor antagonists, central sensitization and persistent pain and hyperalgesia: a reply to Dr. G. Davar (55) 125
Collin, E., Poulain, P., Gauvain-Piquard, A., Petit, G. and Pichard-Leandri, E.
Is disease progression the major factor in morphine 'tolerance' in cancer pain treatment? (55) 319
Comi, G., see De Conno, F. (55) 383
Corstens, F.H.M., see Oyen, W.J.G. (55) 151
Craft, R.M., Carlisi, V.J., Mattia, A., Herman, R.M. and Porreca, F.
Behavioral characterization of the excitatory and desensitizing effects of intravesical capsaicin and resiniferatoxin in the rat (55) 205
Crews, T.M., see Baumstark, K.E. (55) 339
Crul, B.J.P., see Van Dongen, R.T.M. (55) 119

Davar, G.
Comments on Coderre, T.J. et al., *PAIN, 52 (1993) 259–258* (55) 125
De Bock, M., see Van Dongen, R.T.M. (55) 119
De Conno, F., Caraceni, A., Aldrighetti, L., Magnani, G., Ferla, G., Comi, G. and Ventafridda, V.
Paraplegia following coeliac plexus block (55) 383
Doctor, J.N., see Klapow, J.C. (55) 107
Dostrovsky, J.O., see Kawakita, K. (55) 327
Drenck, N.-E., see Sjøgren, P. (55) 93
Dubner, R., see Thomas, D.A. (55) 63
Dworkin, S.F., see Von Korff, M. (55) 251

Ekblom, A. and Hansson, P.
When is "pain" appropriate? (55) 401

Falace, D.A., see Carlson, C.R. (55) 397
Ferla, G., see De Conno, F. (55) 383
Fujita, Y.
CT-guided neurolytic splanchnic nerve block with alcohol (55) 363

García-Larrea, L., Charles, N., Sindou, M. and Mauguière, F.
Flexion reflexes following anterolateral cordotomy in man: dissociation between pain sensation and nociceptive reflex RIII (55) 139
Garfin, S.R., see Klapow, J.C. (55) 107
Gauvain-Piquard, A., see Collin, E. (55) 319
Gebhart, G.F., see Meller, S.T. (55) 401
Gelgor, L. and Mitchell, D.
Modality-specific hypersensitivity of dorsal horn convergent neurones during reperfusion of their receptive fields on the rat's tail (55) 305
Goris, R.J.A., see Oyen, W.J.G. (55) 151
Grubb, B.D., see Schaible, H.-G. (55) 5

Hansson, P., see Ekblom, A. (55) 401
Hao, J.-X., see Wiesenfeld-Hallin, Z. (55) 235
Herman, R.M., see Craft, R.M. (55) 205
Hewett, J., see Baumstark, K.E. (55) 339
Hill, A.
The use of pain coping strategies by patients with phantom limb pain (55) 347
Hong, D., Byers, M.R. and Oswald, R.J.
Dexamethasone treatment reduces sensory neuropeptides and nerve sprouting reactions in injured teeth (55) 171
Hu, J.W., Yu, X.-M., Vernon, H. and Sessle, B.J.
Excitatory effects on neck and jaw muscle activity of inflammatory irritant applied to cervical paraspinal tissues (55) 243

Jensen, M.P. and McFarland, C.A.
Increasing the reliability and validity of pain intensity measurement in chronic pain patients (55) 195
Jensen, N.-H., see Sjøgren, P. (55) 93
Jensen, T.S., see Sjøgren, P. (55) 93
Jonsson, T., see Sjøgren, P. (55) 93
Jyväsjärvi, E., see Mengel, M.K.C. (55) 159

Kawakita, K., Dostrovsky, J.O., Tang, J.S. and Chiang, C.Y.
Responses of neurons in the rat thalamic nucleus submedius to cutaneous, muscle and visceral nociceptive stimuli (55) 327
Kenshalo, Jr., D.R., see Thomas, D.A. (55) 63
Kim, S.H., Na, H.S., Sheen, K. and Chung, J.M.
Effects of sympathectomy on a rat model of peripheral neuropathy (55) 85
King, J.H. and Nuss, S.
Reflex sympathetic dystrophy treated by electroconvulsive therapy: intractable pain, depression, and bilateral electrode ECT (55) 393
Kingery, W.S., Castellote, J.M. and Wang, E.E.
A loose ligature-induced mononeuropathy produces hyperalgesias mediated by both the injured sciatic nerve and the adjacent saphenous nerve (55) 297
Klapow, J.C., Slater, M.A., Patterson, T.L., Doctor, J.N., Atkinson, J.H. and Garfin, S.R.
An empirical evaluation of multidimensional clinical outcome in chronic low back pain patients (55) 107
Kniffki, K.-D., see Mengel, M.K.C. (55) 159
Krames, E.S.
The chronic intraspinal use of opioid and local anesthetic mixtures for the relief of intractable pain: when all else fails! (55) 1

Lautenbacher, S., see Rollman, G.B. (55) 277
Le Resche, L., see Von Korff, M. (55) 251
Levine, J.D., see Miaskowski, C. (55) 401
Lichtman, A.H., Smith, F.L. and Martin, B.R.
Evidence that the antinociceptive tail-flick response is produced independently from changes in either tail-skin temperature or core temperature (55) 283
Lindroth, J.E., see Carlson, C.R. (55) 397
Lord, S., see Barnsley, L. (55) 99

Magnani, G., see De Conno, F. (55) 383
Maresca, M., see Procacci, P. (55) 137
Martin, B.R., see Lichtman, A.H. (55) 283
Mattia, A., see Craft, R.M. (55) 205
Mauguière, F., see García-Larrea, L. (55) 139
McFadden, I.J. and Woitalla, V.F.,
Differing reports of pain perception by different personalities in a patient with chronic pain and multiple personality disorder (55) 379
McFarland, C.A., see Jensen, M.P. (55) 195
Meller, S.T. and Gebhart, G.F.
Reply to R. Weinberg and H. Schmidt (55) 401
Mengel, M.K.C., Stiefenhofer, A.E., Jyväsjärvi, E. and Kniffki, K.-D.
Pain sensation during cold stimulation of the teeth: differential reflection of Aδ and C fibre activity? (55) 159
Merskey, H.
Pain and dissociation (55) 281
Miaskowski, C. and Levine, J.D.
Reply to the letter by J.L. Plummer (55) 401
Mitchell, D., see Gelgor, L. (55) 305
Morley, S.
Vivid memory for 'everyday' pains (55) 55
Murphy, A.Z. and Behbehani, M.M.
Role of norepinephrine in the interaction between the lateral reticular nucleus and the nucleus raphe magnus: an electrophysiological and behavioral study (55) 183
Na, H.S., see Kim, S.H. (55) 85
Nagaro, T. and Arai, T.
Comments on injectate encapsulation after long-term epidural administration (55) 125
Nagaro, T. and Arai, T.
Comments on injectate encapsulation (55) 125
Nagaro, T., Amakawa, K., Arai, T. and Ochi, G.
Ipsilateral referral of pain following cordotomy (55) 275
Nitz, A.J., see Carlson, C.R. (55) 397
Nuss, S., see King, J.H. (55) 393

Ochi, G., see Nagaro, T. (55) 275
Okeson, J.P., see Carlson, C.R. (55) 397
Oswald, R.J., see Hong, D. (55) 171
Oyen, W.J.G., Arntz, I.E., Claessens, R.A.M.J., Van der Meer, J.W.M., Corstens, F.H.M. and Goris, R.J.A.
Reflex sympathetic dystrophy of the hand: an excessive inflammatory response? (55) 151

Patterson, T.L., see Klapow, J.C. (55) 107
Petit, G., see Collin, E. (55) 319
Pichard-Leandri, E., see Collin, E. (55) 319
Porreca, F., see Craft, R.M. (55) 205
Porro, C.A., see Aloisi, A.M. (55) 267
Poulain, P., see Collin, E. (55) 319
Procacci, P. and Maresca, M.
A philological note on some words concerning itch and related cutaneous sensations (55) 137
Procacci, P.
Chronobiological studies on pain threshold (55) 277

Richardson, P.H., see Williams, A.C.C. (55) 259
Robertson, J.A. and Bodnar, R.J.
Site-specific modulation of morphine and swim-induced antinociception following thyrotropin-releasing hormone in the rat periaqueductal gray (55) 71
Rollman, G.B. and Lautenbacher, S.
Sex differences and biological rhythms affecting pain responsiveness (55) 277

Safer, M.A., see Smith, W.B. (55) 355
Schaible, H.-G. and Grubb, B.D.
Afferent and spinal mechanisms of joint pain (55) 5
Schmidt, H.H.H.W., see Weinberg, R.J. (55) 401
Schug, S.A. and Torrie, J.J.
Safety assessment of postoperative pain management by an acute pain service (55) 387
Seiger, Å., see Wiesenfeld-Hallin, Z. (55) 235
Sessle, B.J., see Hu, J.W. (55) 243
Sheen, K., see Kim, S.H. (55) 85
Sher, K.J., see Baumstark, K.E. (55) 339
Sindou, M., see García-Larrea, L. (55) 139
Sjaastad, O., see Trucco, M. (55) 125
Sjøgren, P., Jonsson, T., Jensen, N.-H., Drenck, N.-E. and Jensen, T.S.
Hyperalgesia and myoclonus in terminal cancer patients treated with continuous intravenous morphine (55) 93
Slater, M.A., see Klapow, J.C. (55) 107
Sluka, K.A. and Westlund, K.N.
Behavioral and immunohistochemical changes in an experimental arthritis model in rats (55) 367
Sluka, K.A. and Westlund, K.N.
Centrally administered non-NMDA but not NMDA receptor antagonists block peripheral knee joint inflammation (55) 217
Smith, F.L., see Lichtman, A.H. (55) 283

Smith, W.B. and Safer, M.A.
Effects of present pain level on recall of chronic pain and medication use (55) 355
Stannard, C.F.
The language of pain management and health (55) 125
Stiefenhofer, A.E., see Mengel, M.K.C. (55) 159

Tang, J.S., see Kawakita, K. (55) 327
Thomas, D.A., Anton, F., Kenshalo, Jr., D.R., Williams, G.M. and Dubner, R.
Noradrenergic and opioid systems interact to alter the detection of noxious thermal stimuli and facial scratching in monkeys (55) 63
Torrie, J.J., see Schug, S.A. (55) 387
Trucco, M. and Sjaastad, O.
Comments on De Angelis and Payne, *PAIN*, 30 (1987) 211–216 (55) 125

Van der Meer, J.W.M., see Oyen, W.J.G. (55) 151
Van Dongen, R.T.M., Crul, B.J.P. and De Bock, M.
Long-term intrathecal infusion of morphine and morphine/bupivacaine mixtures in the treatment of cancer pain: a retrospective analysis of 51 cases (55) 119
Ventafridda, V., see De Conno, F. (55) 383
Vernon, H., see Hu, J.W. (55) 243
Von Korff, M., Le Resche, L. and Dworkin, S.F.
First onset of common pain symptoms: a prospective study of depression as a risk factor (55) 251

Wang, E.E., see Kingery, W.S. (55) 297
Weinberg, R.J. and Schmidt, H.H.H.W.
Comments on Meller, S.T. and Gebhart, G.F., PAIN, 52 (1993) 127–136 (55) 401
Westlund, K.N., see Sluka, K.A. (55) 217
Westlund, K.N., see Sluka, K.A. (55) 367
Wiesenfeld-Hallin, Z., Hao, J.-X., Xu, X.-J., Aldskogius, H. and Seiger, Å.
Genetic factors influence the development of mechanical hypersensitivity, motor deficits and morphological damage after transient spinal cord ischemia in the rat (55) 235
Williams, A.C.C. and Richardson, P.H.
What does the BDI measure in chronic pain? (55) 259
Williams, G.M., see Caudle, R.M. (55) 313
Williams, G.M., see Thomas, D.A. (55) 63
Woitalla, V.F., see McFadden, I.J. (55) 379

Xu, X.-J., see Wiesenfeld-Hallin, Z. (55) 235

Yaksh, T.L., see Yamamoto, T. (55) 227
Yamamoto, T. and Yaksh, T.L.
Effects of colchicine applied to the peripheral nerve on the thermal hyperalgesia evoked with chronic nerve constriction (55) 227
Yu, X.-M., see Hu, J.W. (55) 243